I WOULD LIKE A **SEXUAL HEALTH TEST...**

I have engaged in:

Oral Sex	☐ received	☐ given
Anal rimming	☐ received	☐ given
Vaginal sex	☐ received	☐ given
Anal sex	☐ received	☐ given

I would like these tests:

Blood test
Throat swal

☐ Urine sample

☐ Anal swab

Vaginal	swab	

☐ Visual check of symptoms

☐ I am unsure

Lused condoms/dams:

All	the	time
Soi	meti	mes

Never

☐ I am unsure

I would like more information on (please circle):

Unintended pregnancy Consent Condoms Healthy relationships

Contraception Online safety

PrFP and/or PFP Vaccinations

LGBTQIA+ health

WHERE TO GET TESTED

Any GP or sexual health clinic can provide STI testing. Follow the QR code for testing locations in WA.





WAAC'S GUIDE TO:

SEXUALLY **TRANSMISSIBLE INFECTIONS**



CONTACT US

- 664 Murray Street, West Perth, WA 6005
- (08) 9482 0000
- hello@waac.com.au
- www.waac.com.au



WHAT ARE STIS?

STIs are sexually transmissible infections that can be passed on during sexual activity.

STIs are passed on through **skin-to-skin contact** and **bodily fluids** such as **semen**, **blood** and **vaginal fluids**, and **sharing sex toys**.

Some STIs include chlamydia, gonnorrhoea, syphilis, HIV, herpes, and hepatitis B.

Common symptoms are discharge, rash, itchiness, pain, pus or sores.

However, most STIs have no symptoms.

PREVENTION

STIs are a normal part of being sexually active. However, they can have serious health problems so prevention is important.

METHOD

USE FOR



All STIs



HIV



Hepatitis A+B HPV

STI TESTING

The only way to tell if you have an STI is to get a test. Testing is simple!

With your permission, a doctor or nurse will ask you some questions about the types of sex you have had. Anything you say will stay between you and the doctor or nurse.

A full STI test will involve a urine, swab or blood sample. Some of these samples can be selfcollected, or a doctor or nurse will do it for you with your consent.

WHEN TO GET TESTED

- Every 3-6 months if you are sexually active with more than one partner
- Once a year if you are sexually active with only one partner
- As soon as you can, if you have symptoms
- As soon as you can if a sexual contact has an STI

Most STIs can be cured or well managed with medication!

It is important to follow treatment guidelines if you test positive for an STI.



WHAT STI TESTS DO I NEED?

You will need different testing methods depending on what types of sex you have had and what body parts you have.

IF YOU HAVE HAD

GET THESE TESTS

WHICH TEST FOR





Chlamydia Gonorrhoea Syphilis Hep B











A herpes test is not required unless you have symptoms.

Hepatitis A can be transmitted thorugh anal rimming.

Hepatitis C can be transmitted if there is blood-to-blood contact.

Flip over to use our STI testing leaflet.
Fill it out and take it to your next test
to get the conversation started about
your sexual health needs.